

Dial g DataStar


[options](#)
[logout](#)
[feedback](#)
[help](#)
[databases](#)
[easy search](#)

Advanced Search: INSPEC - 1969 to date (INZZ)

[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	semiconductor ADJ designers	unrestricted	14	show titles
2	INZZ	1 AND delivery	unrestricted	0	-
3	INZZ	1 AND cost	unrestricted	4	show titles
4	INZZ	1 AND Internet	unrestricted	0	-
5	INZZ	1 AND Intranet	unrestricted	0	-
6	INZZ	semicondutor ADJ design	unrestricted	0	-

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)
Enter your search term(s): [Search tips](#)

 Information added since: or:

Select special search terms from the following list(s):

- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9
- ☒ Classification codes B: Electrical & Electronics, 0-5
- ☒ Classification codes B: Electrical & Electronics, 6-9
- ☒ Classification codes C: Computer & Control
- ☒ Classification codes D: Information Technology
- ☒ Classification codes E: Manufacturing & Production

- ➔ Treatment codes
- ➔ INSPEC sub-file
- ➔ Publication types
- ➔ Language of publication

[Top](#) - [News & FAQs](#) - [Dialog](#)

© **2005** Dialog

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L89	184	character adj projection	USPAT; IBM_TDB	2005/06/07 13:33
2	BRS	L90	32	(character adj projection) same aperture	USPAT; IBM_TDB	2005/06/07 13:33
3	BRS	L91	1	((character adj projection) same aperture) and (circuit adj designs)	USPAT; IBM_TDB	2005/06/07 13:34


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 8 of 8 for **aperture circuit patterns "character projection"**. (0.26 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] [Microsoft PowerPoint - R_TOSHIBA_A.ppt](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Character projection writing system. for Mask making. Shaping deflection ...

Writing **circuit**. CP **aperture**. Writing control. software. (Job d e c k) ...

www.sematech.org/resources/litho/meetings/mask/20010711/R_TOSHIBA_A.pdf - [Similar pages](#)

[SPIE Handbook, Volume 1: Microlithography, Section 2.10](#)

... An extension of PYRAMID for **circuit patterns** of arbitrary size," J. Vac. Sci.

... system EX-8D employing **character projection** exposure method," J. Vac. ...

www.cnf.cornell.edu/cnf_spie10.html - 78k - [Cached](#) - [Similar pages](#)

[United States Patent Application: 0020162088](#)

... by only the pattern of the character **aperture** mask as ... [0100] Thus, the combination

patterns of adjacent ... For example, a flip-flop **circuit** requires two shots in ...

appft1.uspto.gov/.../10/28/2002-%3E11/04/2002&RS=PD/20021028-%3E20021104 - 74k - Supplemental Result

- [Cached](#) - [Similar pages](#)

[Maskless lithography using low-energy electron beam: Recent ...](#)

... writing (LEEDW) system with a common **character projection** (CP) **aperture**. ...

The experimental results for our POC system indicated that the **patterns** ...

link.aip.org/link/?JVTBD9/20/2651/1 - [Similar pages](#)

[Electron optics using multipole lenses for a low energy electron ...](#)

The system consists of an illumination optics, **character projection** apertures,

... To avoid the influence of the CP **aperture** fabrication accuracy on the ...

link.aip.org/link/?JVTBD9/20/25/1 - [Similar pages](#)

[PDF] [先端リソグラフィ技術の課題と革新](#)

File Format: PDF/Adobe Acrobat

in ultrafine processing technology, which forms the critical **circuit patterns**.

... いるが、当社はCP (**Character Projection**) 方式の低加速電 ...

www.toshiba.co.jp/tech/review/2004/08/59_08pdf/a03.pdf - [Similar pages](#)

[PDF] [JOPAL 1998](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Balasubramanian NS **Circuit** ideas: separating p-waves in ... Fabrication process of **character projection**. mask for EB lithography. H01L 021/30 ...

www.wipo.org/scit/en/jopal/1998/jun.pdf - [Similar pages](#)


[SPIE HANDBOOK OF MICROLITHOGRAPHY, MICROMACHINING AND ...](#)

... An extension of PYRAMID for **circuit patterns** of arbitrary ... JC Nabity, MN Wybourne,

"A versatile pattern generator for ... a specially tailored Si **aperture**," J. Vac. ...

www.nnf.cornell.edu/spiebook/spie10.htm - 44k - Supplemental Result - [Cached](#) - [Similar pages](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



aperture circuit patterns "character p Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Dial g DataStar[options](#)[logoff](#)[feedback](#)[help](#)[databases](#)[easy search](#)**Advanced Search: INSPEC - 1969 to date (INZZ)**[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	character ADJ projection	unrestricted	30	show titles
2	INZZ	'2' AND semiconductor	unrestricted	162673	show titles
3	INZZ	2 AND aperture	unrestricted	561	show titles
4	INZZ	1 AND 3	unrestricted	0	-
5	INZZ	2 AND 3	unrestricted	561	show titles
6	INZZ	1 AND aperature	unrestricted	0	-
7	INZZ	1 AND semicoductor	unrestricted	0	-

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#)

 Information added since: or:
[search](#)

Select special search terms from the following list(s):

- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9
- ☒ Classification codes B: Electrical & Electronics, 0-5
- ☒ Classification codes B: Electrical & Electronics, 6-9
- ☒ Classification codes C: Computer & Control
- ☒ Classification codes D: Information Technology
- ☐ Classification codes E: Manufacturing & Production



Treatment codes



INSPEC sub-file




Publication types



Language of publication

Top - News & FAQs - Dialog

© **2005** Dialog


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)
 [Advanced Search](#)
[Preferences](#)

Web Results 1 - 6 of about 13 for semiconductors character projection "Kabushiki Kaisha Toshiba". (0.59)

Patentee Index

NOTE--Arranged in accordance with the first significant **character** or word of the

... Ochiai, Norikazu; to **Kabushiki Kaisha Toshiba** Image recording medium ...

www.uspto.gov/web/patents/patog/week50/OG/patentee/alphaO.htm - 62k - [Cached](#) - [Similar pages](#)

Patentee Index

NOTE--Arranged in accordance with the first significant **character** or word of the

... Oyamatsu, Hisato; to **Kabushiki Kaisha Toshiba** Method for manufacturing ...

www.uspto.gov/web/patents/patog/week49/OG/patentee/alphaO.htm - 65k -

[Cached](#) - [Similar pages](#)

[PDF] The Patent and Design Journal No 5999

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. An Executive Agency of the Department of Trade and Industry The

Patents & Designs Journal 12 May 2004 No. 5999 Application ...

www.ukpats.org.uk/patent/notices/journals/2004/5999.pdf - Supplemental Result - [Similar pages](#)

[PDF] 18 juillet 2001 — Vol. 48, N° 2438 July 18,2001 — Vol. 48, No ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... toy vehicles, collector's cases, action playsets, paint by number sets, puzzles,

model kits, action scenes, masquerade masks, **character** costumes, kites, kite ...

dsp-psd.communication.gc.ca/Collection/RG42-2-48-2438.pdf - Supplemental Result - [Similar pages](#)

[PDF] 04 février 2004 — Vol. 51, No. 2571 February 04, 2004 — Vol. ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. 04 février 2004 — Vol. 51, No. 2571 February 04, 2004 — Vol. 51, No. 2571

Page 2. TRADE-MARKS JOURNAL DES MARQUES DE COMMERCE Vol. 51, No. 2571 ...

dsp-psd.communication.gc.ca/Collection/RG42-2-51-2571.pdf - Supplemental Result -

[Similar pages](#)

[[More results from dsp-psd.communication.gc.ca](#)]

[PDF] 29 mai 2002 — Vol. 49, N° 2483 May 29,2002 — Vol. 49, No. ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 1997/02/03. **KABUSHIKI KAISHA TOSHIBA**, ALSO TRADING AS TOSHIBA CORPORATION, 1-1, Shibaura, 1- chome, Minato-Ku, Tokyo 105-8001, JAPAN Representative for Service ...

dsp-psd.pwgsc.gc.ca/Collection/RG42-2-49-2484.pdf - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.

If you like, you can repeat the search with the omitted results included.

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF


	Type	Hits	Search Text
1	BRS	67815	(Antrim Designs Systems).as.
2	BRS	3	("Antrim Designs Systems").as.
3	BRS	2	(multiple adj test adj bench)
4	BRS	0	(multiple adj test adj bench)
5	BRS	106	(parallel adj simulation)
6	BRS	13	(parallel adj simulation) same circuit
7	BRS	0	((parallel adj simulation) same circuit) and optimize\$
8	BRS	0	((parallel adj simulation) same circuit) and optimize
9	BRS	13	((parallel adj simulation) same circuit) and time
10	BRS	13	((parallel adj simulation) same circuit)
11	BRS	6	((parallel adj simulation) same circuit) and performance
12	BRS	0	((parallel adj simulation) same circuit) and (performance near measurement)
13	BRS	0	(parallel adj simulation) same (performance near measurement)
14	BRS	0	(parallel adj simulation) same (performance and measurement)
15	BRS	267403	(parallel adj simulation) sand (performance and measurement)
16	BRS	21	(parallel adj simulation) and (performance and measurement)
17	BRS	5	(parallel adj simulation) and (performance near measurement)
18	BRS	4	(SmartSignal).as.
19	BRS	7	(SmartSignal).as.
20	BRS	0	(metamodeling same validate)
21	BRS	0	(metamodeling same validate)
22	BRS	0	metamodeling same design
23	BRS	0	metamodeling and validate
24	BRS	5	metamodeling
25	BRS	2	703/2.ccls. and metamodel
26	BRS	1	703/2.ccls. and metamodel and validation and compat\$
27	BRS	184	character adj projection
28	BRS	32	(character adj projection) same aperture
29	BRS	1	((character adj projection) same aperture) and (circuit adj designs)
30	BRS	160	(semiconductor same design) and (semiconductor same (Internet or Intranet))
31	BRS	1	(semiconductor same design) and (semiconductor same (Internet or Intranet)) and (character adj projection)
32	BRS	0	(semiconductor near2 design) and (semiconductor same (Internet or Intranet)) and (character adj projection)
33	BRS	5406	(semiconductor near2 design)
34	BRS	86	(semiconductor near2 design) and (design same Internet)
35	BRS	0	(semiconductor near2 design) and (design same Internet) and (character adj projection)
36	BRS	86	(semiconductor near2 design) and (design same Internet)

37	BRS	55	(semiconductor near2 design) and (design same Internet) and (character)
----	-----	----	--

	Type	Hits	Search Text
38	BRS	0	(semiconductor near2 design) and (design same Internet) and ((character) same projection)
39	BRS	33	(semiconductor near2 design) and (design same Internet) and ((character) and projection)
40	BRS	86	(semiconductor near2 design) and (design same Internet)
41	BRS	11	(semiconductor near2 design) and (design same Internet) and (cost same delivery)
42	BRS	11	(semiconductor near design) and (design same Internet) and (cost same delivery)
43	BRS	18	(semiconductor near2 design) and (design same Internet) and cost and delivery
44	BRS	1	"6560768".pn. and Internet
45	BRS	1	"6560768".pn. and design
46	BRS	1	"6560768".pn. and design and cost
47	BRS	0	"6560768".pn. and design and cost and deliveryh
48	BRS	0	"6560768".pn. and design and cost and delivery
49	BRS	1	"6560768".pn. and design and cost and time
50	BRS	106	(delivery adj time) same Internet
51	BRS	3	((delivery adj time) same Internet) and (semiconductor same design)
52	BRS	0	((delivery adj time) same Internet) and (semiconductor same designers)
53	BRS	0	((delivery adj time) same Internet) and (semiconductor near designers)
54	BRS	0	(delivery same Internet) and (semiconductor near designers)
55	BRS	0	(delivery near Internet) and (semiconductor near designers)
56	BRS	2518	(semiconductor near cost)
57	BRS	6	(semiconductor near cost) and (semiconductor near delivery)
58	BRS	6	(semiconductor near cost) and (semiconductor near delivery)
59	BRS	0	(semiconductor near cost) and (semiconductor near delivery) and Internet
60	BRS	1353	(semiconductor and price and projection)
61	BRS	1	(semiconductor near price near projection)
62	BRS	0	(character adj projection) same Internet
63	BRS	0	(character adj projection) near Internet
64	BRS	2	(character adj projection) and retail
65	BRS	0	(character adj projection) near retail
66	BRS	184	(character adj projection)
67	BRS	21	(character adj projection) same (semiconductor)
68	BRS	0	(character adj projection) same (semiconductor) and retail
69	BRS	0	(character adj projection) and (semiconductor) and retail
70	BRS	0	(character adj projection) and (semiconductor) and consumer

71	BRS	0	(character adj projection) and (semiconductor) and (market or transaction or sales)
----	-----	---	--

	Type	Hits	Search Text
72	BRS	19	(character adj projection) and (market or transaction or sales)
73	BRS	20	(character adj projection) and (market or transaction or sales or retail)
74	BRS	2	(character adj projection) and retail
75	BRS	13	(character adj projection) and microprocessor
76	BRS	3	(character adj projection) and microprocessor and Internet
77	BRS	5	(character adj projection) and microprocessor and (sale or retail or transactions)
78	BRS	0	(character adj projection) and microprocessor same (sale or retail or transactions)
79	BRS	5	(character adj projection) and microprocessor and (sale or retail or transactions)
80	BRS	567	"703"/\$.ccls. and Internet
81	BRS	163	"703"/\$.ccls. and Internet and (microprocessors)
82	BRS	0	"703"/\$.ccls. and Internet and (microprocessors) and (character adj projection)
83	BRS	3454	"703"/\$.ccls. and I(character adj projection)
84	BRS	0	"703"/\$.ccls. and (character adj projection)



Web

Tip: Try removing quotes from your search to get more results.

Your search - **microprocessor retail "character projection"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google